



# SMR versus MLS HNO<sub>3</sub>


B. Barret, P. Ricaud, E. Le Flochmoën

Laboratoire d'Aérologie / Observatoire Midi-Pyrénées, Toulouse, France





# SMR radiances @ 544.5 GHz






# HNO<sub>3</sub> @ 544.4 GHz

78.5°S/143.8°E

30.5°N/346.1°E

Odin/SMR - HNO<sub>3</sub> (544.4 GHz)






# SMR HNO<sub>3</sub> /MLS: selection of data

- **SMR** (ref. code version 223)
  - Measurement response > 0.75
  - Good convergence
- **MLS** (V1.5 L2 data quality and description document)
  - Status = 0 + clouds ( $p < 100$  hPa)
  - Precision > 0
  - Quality > 0.17
- **Coincidence criteria**
  - Distance < 500 km
  - $\Delta t < 6$  hours




# SMR HNO<sub>3</sub> /MLS : zonal means





# SMR HNO<sub>3</sub> /MLS : correlations





# SMR HNO<sub>3</sub> /MLS : summary

## Mean profiles

- MLS > SMR around the maximum → bias from 20 to 40% ( $\sim 2$  ppbv)

## Correlations

- $R > 0.6$  from 46.4 to 14.7 hPa
- Slope MLS/SMR 0.6-1.2 in this region